

Exhibit 3B



US00D695526S

(12) **United States Design Patent** (10) **Patent No.:** **US D695,526 S**
Easlick (45) **Date of Patent:** **** Dec. 17, 2013**

(54) **HANDBAG HANGER HOOK**(76) Inventor: **Jacklyn S Easlick**, Rye, NY (US)(**) Term: **14 Years**(21) Appl. No.: **29/431,801**(22) Filed: **Sep. 11, 2012**(51) LOC (9) Cl. **03-01**

(52) U.S. Cl.

USPC **D3/328; D8/367**(58) **Field of Classification Search**USPC **D3/328; D8/367; 248/302–303**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- | | | | | |
|---------------|---------|----------------|-------|---------|
| 5,575,446 A * | 11/1996 | Swenson et al. | | 248/304 |
| D475,278 S * | 6/2003 | Williams | | D8/367 |
| D493,092 S * | 7/2004 | Kalat | | D8/367 |
| D560,924 S * | 2/2008 | Walker | | D6/396 |
| D644,438 S * | 9/2011 | Brucker | | D3/328 |

* cited by examiner

Primary Examiner — Holly Baynham(74) *Attorney, Agent, or Firm* — Sinorica, LLC(57) **CLAIM**

The ornamental design for a handbag hanger hook, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the handbag hanger hook;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right-side elevational view thereof;


FIG. 5 is a left-side elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a reduced scale perspective view thereof wherein the top hook is hung on a rod, with a handbag hanging from the bottom hook.

The broken line showing the rod and handbag in FIG. 8 is included for the purpose of showing environmental structure and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets

U.S. Patent

Dec. 17, 2013

Sheet 1 of 8

US D695,526 S




FIG. 1

U.S. Patent

Dec. 17, 2013

Sheet 2 of 8

US D695,526 S




FIG. 2

U.S. Patent

Dec. 17, 2013

Sheet 3 of 8

US D695,526 S




FIG. 3

U.S. Patent

Dec. 17, 2013

Sheet 4 of 8

US D695,526 S




FIG. 4

U.S. Patent

Dec. 17, 2013

Sheet 5 of 8

US D695,526 S




FIG. 5

U.S. Patent

Dec. 17, 2013

Sheet 6 of 8

US D695,526 S




FIG. 6

U.S. Patent

Dec. 17, 2013

Sheet 7 of 8

US D695,526 S




FIG. 7

U.S. Patent

Dec. 17, 2013

Sheet 8 of 8

US D695,526 S




FIG. 8